

## INFOPRINT 1850 MFP & INFOPRINT 1860 MFP

### HIGHLIGHTS

- Provide small workgroups with multifunction support that offers “one-stop” convenience.
- Easy-to-use, adjustable-view color touch screen provides access to copy, fax, or scan.<sup>1</sup> Open the menu screen to customize personal settings or respond to messages. The intuitive operator interface can help reduce training time and improve casual user productivity.
- Built-in “your eyes only” security for confidential and held jobs.
- Support advanced e-mail functions by scanning documents in color; print and copy in mono.
- Increase user satisfaction with a simple design that includes a 75-page simplex Automatic Document Feeder (ADF), a legal-sized flatbed scanner and the ability to handle mixed sized media with the standard multi-purpose feeder.<sup>2</sup>
- Higher-yield toner cartridges mean fewer printer interventions and less packaging, transportation, and waste.



### DO MORE IN LESS SPACE—AND REDUCE COSTS

Multifunction machines are an easy-to-implement problem solver for space and budget restrictions. Consider consolidating existing equipment, including printers, copiers, scanners, and fax machines, or replacing aging office equipment. Either way, you can obtain advanced functionality that enhances electronic information delivery while you establish a single point of accountability with one vendor.

### DISCOVER A WORKHORSE INSIDE A PONY

Users can complete their jobs quickly with an InfoPrint 1850 MFP or InfoPrint 1860 MFP.

These multifunction printers (MFPs) include a powerful 600 MHz processor, first-page-out-time as fast as 8 seconds and high print speed of up to 45 ppm.<sup>3</sup> It's also easy to fine tune output results with adjustments such as reduce and enlarge, separator sheets, margin shift, edge erase, date/time stamp and variable quality settings.

The InfoPrint 1850 MFP and InfoPrint 1860 MFP plow through a wide variety of jobs with multi-tasking productivity and minimal user intervention. The low-glare, adjustable color touch screen and intuitive interface help simplify user interaction with the MFP. With "My MFP" a user can save preferred settings, shortcuts, e-mail addresses and fax numbers securely on a thumb drive. Once the thumb drive is inserted in the front port of the device, the MFP then becomes a personalized device.

Some of its user-friendly features include job interrupt to accommodate priority copies, intuitive job cancel, auto-sensing for letter and legal sizes, copy countdown, a legal-size flatbed scanner, e-mail print confirmation, and even the ability for users to send faxes from their desktop PCs.<sup>1</sup>

#### **MAKE IT FOR YOUR EYES ONLY**

With the InfoPrint 1850 MFP and InfoPrint 1860 MFP, customers can help protect sensitive information by setting up jobs as

"held" or "confidential." "Held" jobs can be stored in memory until you release them at the MFP with your specified user name. "Confidential" jobs require a PIN number, and they can also be stored in memory until your customers use the same PIN number to print or delete the job.

#### **SCAN, THEN E-MAIL**

Send information quickly to one or more recipients with the scan-to-e-mail function. Type in an e-mail address, use a shortcut number, or use the address book or a profile. The adjustable-height scanner cover—with book hinges—remains open after it is lifted.

#### **REDUCE, RETURN AND RECYCLE**

InfoPrint Solutions Company™ recognizes that environmental conservation is part of our calling as a global citizen. Reducing waste is crucial to minimizing our impact

on our environment. Offering high-yield and extra-high-yield toner cartridges will extend cartridge life span and decrease overall cartridges manufactured, with less tonnage in the landfill. Partner with us by participating in our cartridge return programs.

#### **ENGAGE THE PRINTING EXPERTS**

You can receive support when you need it from experts with comprehensive knowledge of printers, software and supplies. Same-day and next-day service offerings are available for InfoPrint Solutions Company offerings. Contact your local InfoPrint Solutions Company representative for availability.

#### **FOR MORE INFORMATION**

Contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit:

[infoprint.com/workgroup](http://infoprint.com/workgroup)

## **INFOPRINT 1850 MFP AND INFOPRINT 1860 MFP SPECIFICATIONS**

<b>Item</b>	<b>Specifications</b>
<b>Models</b>	1850 1860
<b>Printer specifications</b>	
<b>Functions</b>	Mono print, mono copy, color/mono scan and color/mono fax (Fax optional on 1850)
<b>Maximum speed<sup>3</sup></b>	Up to 45 ppm (letter), 43 ppm (A4) simplex
<b>First page out time<sup>3</sup></b>	As fast as 8 seconds
<b>Processor</b>	600 MHz
<b>Maximum monthly usage<sup>4</sup></b>	Up to 200,000 pages
<b>Print resolution<sup>7</sup></b>	1200 x 1200 dpi, 2400 IQ, 1200 IQ, 600 x 600 dpi

## INFOPRINT 1850 MFP AND INFOPRINT 1860 MFP SPECIFICATIONS

<b>Duplex printing</b>	Standard
<b>Memory (std/max)</b>	256 MB/1280 MB
<b>Hard drive</b>	optional; 80+GB
<b>Memory slots</b>	1 open DRAM DIMM slot, 1 open flash memory slot, 1 open firmware card slot, 1 open ISP (INA) slot
<b>Printer attachments</b>	
<b>Standard</b>	Ethernet 10Base/100Base TX Ethernet, Rear USB 2.0 High Speed device port Front panel USB 2.0 Full Speed host port (USB Direct Drive, scan and print)
<b>Optional internal</b>	IEEE 1284-B Parallel Card, RS-232C Serial Card Ethernet 1000Base TX
<b>Optional external</b>	Wireless 802.11g (1 USB port) Ethernet 10Base/100BaseTX (1 USB Port) Ethernet 1000BaseTX (4 USB port)
<b>General specifications</b>	
<b>Copy/fax/scan Automatic Document Feeder (ADF)</b>	Type: Simplex ADF with c-path Capacity: 75 sheets (20 lb. or 75 g/m <sup>2</sup> bond)
<b>Console type</b>	Customizable, 7" (177.8 mm) color touch screen and number keypad with control buttons
<b>Supported environments<sup>6</sup></b>	Microsoft® Windows Server® 2008, Server 2008 x64, Server 2003, Server 2003 x64, Windows Vista®, XP, XP x64, 2000, Me, 98, 95, Windows NT® 4, Terminal Services; Citrix MetaFrame; UNIX®; Linux®; IBM AIX® Colon Files; Mac OS; Novell; Other: virtually any platform supporting TCP/IP <sup>3</sup>
<b>Standard datastreams</b>	XPS, PCL5 and 6/XL, Postscript 3, PPDS migration tool, PDF v1.6 emulation, HTML, DirectImage
<b>Application solutions</b>	Optional IPDS™ and barcode solutions are available.
<b>Paper handling<sup>2</sup></b>	
<b>Input sources (std/max)</b>	2/6
<b>Standard input capacity</b>	650 sheets (1 550-sheet input, 100-sheet multipurpose feeder)
<b>Optional input</b>	Up to 2,650** sheets using up to 4 additional drawer inputs ** Requires removal of the standard modular drawer Additional input drawers: 250-sheet, 550-sheet, and 2,000-sheet drawer input available Some configurations may require furniture; please see your sales representative
<b>Output locations (min/max)</b>	1/1
<b>Standard output capacity</b>	550
<b>Optional output</b>	None

## INFOPRINT 1850 MFP AND INFOPRINT 1860 MFP SPECIFICATIONS

<b>Printer media input<sup>2</sup></b>	
<b>Sizes</b>	A4; A5; JIS B5; letter; legal; executive; folio; statement; some envelopes
<b>Types</b>	Plain paper; cardstock; transparencies; some envelopes; paper labels designed for laser printers (occasional use only)
<b>Weights</b>	Plain paper: 16 to 47 lb. (60 to 176 g/m <sup>2</sup> ) bond; Card stock: Up to 90 lb. (163 g/m <sup>2</sup> ) index
<b>Copy capabilities</b>	
<b>Maximum copy speed<sup>3</sup></b>	Up to 45 ppm (letter), 43 ppm (A4) simplex
<b>Time to first copy<sup>3</sup></b>	Flatbed: as fast as 7.5 seconds ADF: as fast as 8.5 seconds
<b>Multiple copies</b>	1 – 999 (scans original only once); Copy countdown
<b>Simplex/duplex copying</b>	Standard: 1 to 1, 1 to 2, 2 to 1, 2 to 2
<b>Reduce/enlarge</b>	Variable zoom from 25% – 400%
<b>Copy quality</b>	Lighter or Darker (adjust the copy output darkness) Edge Erase (eliminate marks around the edge of originals) Content (set the scanner mode for text, text/photo, photo or printed photo) Selectable image resolution (Increasing resolution increases the file size) Advanced imaging (background removal, contrast, and shadow detail)
<b>Copy finishing</b>	Advanced duplex (set binding for landscape or portrait input and output) Collation (electronically collates copy output) Separator page (between copy sets) Margin shift (provides a margin for hole punching or binding)
<b>Scan capabilities</b>	
<b>Scan speed<sup>1</sup></b>	Up to 55 sides per minute (simplex)
<b>Maximum scan size</b>	8.5" x 14.0" (216 mm x 355 mm) from the flatbed or duplex scan from ADF
<b>Maximum optical resolution</b>	Mono and Color output resolution: Up to 600 x 600 dpi
<b>Scan file formats</b>	PDF, JPEG, TIFF and XPS
<b>Scan features</b>	Scan preview; Job Build from flatbed; Custom job from ADF and/or flatbed; Duplex scan; Create booklet; Variable zoom from 25% – 400%; USB and TWAIN drivers
<b>Fax capabilities<sup>1</sup></b>	
<b>Maximum fax resolution</b>	600 x 600 dpi (receive)
<b>Modem speed<sup>3</sup></b>	33.6 Kbps (3 seconds per page)
<b>Receive fax</b>	Yes

## INFOPRINT 1850 MFP AND INFOPRINT 1860 MFP SPECIFICATIONS

<b>Fax memory</b>	Space remaining on the hard drive, less 1 GB
<b>Fax speed dials</b>	Up to 1800 with the hard drive; up to 500 without the hard drive
<b>Fax broadcast locations</b>	Up to 400
<b>Send hard copy fax</b>	Flatbed or ADF
<b>Send soft copy fax</b>	Outbound fax is supported from some printer drivers
<b>Memory (delayed) send</b>	Set time and date for when current job is to be faxed
<b>Fax auto redial</b>	Yes
<b>Fax forwarding</b>	Yes
<b>Block junk fax</b>	Yes
<b>Cost-saving and environmental features</b>	Energy Star qualified Paper saver (N-up output) Standard duplex printing Toner darkness setting offers up to 50% toner savings from the factory default setting of 8 Return program toner cartridges
<b>Supply and maintenance items<sup>5</sup></b>	
<b>Toner yield<sup>5</sup></b>	Ships with: 7,000 pages Aftermarket: 7,000 pages, 25,000 pages
<b>Separator roll assembly</b>	120,000 pages (or when the paper fails to feed properly from ADF)
<b>Pick up assembly</b>	120,000 pages (or when the paper double-feeds through the ADF)
<b>White pressure pad</b>	Lasts the life of the product (available in case the pad becomes damaged)
<b>Maintenance kit</b>	300,000 pages
<b>Physical characteristics</b>	Width: 21.6" (548 mm) Depth: 24.1" (611 mm) Height: 29.7" (755 mm) Weight: 100 lbs. (45.4kg)
<b>Warranty: North America</b>	One year, 9x5 next-day on-site repair
<b>Warranty Europe, Middle East, Africa and Asia Pacific</b>	One year (unless country law dictates otherwise), 9x5 next-day on-site repair (upgrades are available). Not available in all locations. Contact your local InfoPrint Solutions Company representative for local availability.
<b>What's in the box</b>	<ul style="list-style-type: none"> <li>— 7K Return Program Print Cartridge<sup>5</sup></li> <li>— Setup Sheets (Network and Local Attachment)</li> <li>— SW and Documentation CD</li> <li>— Warranty Sheet/Book (Country dependent)</li> <li>— Power Cord</li> <li>— DBCS Font Card as required—Country dependent</li> <li>— Supplies Return Program Sheet</li> <li>— RJ-11 Phone Cable (InfoPrint 1860 MFP Only)</li> <li>— RJ-11 Phone Adapter (InfoPrint 1860 MFP Only)</li> </ul>

INFOPRINT 1850 MFP AND INFOPRINT 1860 MFP PRINTER SUPPLIES AT A GLANCE		
Part number	Product description	Yield (Pages) <sup>5</sup>
39V2967	Return Program Toner Cartridge	7,000
39V2968	High Yield Toner Cartridge	25,000
39V2969	Return Program High Yield Toner Cartridge	25,000
39V3589	ADF Maintenance Kit	120,000
39V3590	Maintenance Kit (LV: 110V)	300,000
39V3591	Maintenance Kit (HV: 220V)	300,000
39V3598	Pick Roll (2)	300,000
39V3599	Charge Roll	300,000
39V3600	Fuser (LV: 110V)	300,000
39V601	Fuser (HV: 220V)	300,000
39V602	Fuser with Detach Fingers (LV: 110V)	150,000
39V603	Fuser with Detach Fingers (HV: 220V)	150,000
39V604	Transfer Roll	300,000
ADF maintenance kit contents: separator roller, access cover pick/feed mechanism		
Maintenance kit contents: fuser, transfer roll, charge roll and 3 pick roll sets (2 rolls per set – a total of 6 rolls)		
Maintenance kits are customer installable.		

<sup>1</sup> Fax is standard on the InfoPrint 1860 MFP and optional on the InfoPrint 1850 MFP.

<sup>2</sup> See user documentation for specific media types, weights, and sizes that are supported.

<sup>3</sup> Exact speed varies depending on document complexity, system configuration, software application driver and printer state.

<sup>4</sup> InfoPrint Solutions Company does not recommend printing this monthly maximum on a consistent basis.

<sup>5</sup> Assumes 5% coverage per page. Yields are provided for planning purposes and are not a guarantee of minimum life; actual yields may vary. Declared yield value in accordance with ISO/IEC 19752.

<sup>6</sup> Not all versions are supported. Contact your sales representative for a detailed list of supported versions.

<sup>7</sup> The Color Quality (CQ) enhancement, whether 1200, 2400, or 4800 is a special print mode designed to vary the intensity of each individual printed dot by manipulating its size to produce the appearance of greater print resolution within the limitation of a set number of dots per inch (dpi).

© Copyright InfoPrint Solutions Company 2008. All rights reserved.

InfoPrint Solutions Company  
6300 Diagonal Highway 002J  
Boulder, Colorado  
80301-9270  
U.S.A.

Printed in the United States of America  
October 2008

Ricoh and the Ricoh logo are registered trademarks of Ricoh Co., Ltd. in Japan, other countries or both. IBM and the IBM logo are registered trademarks of International Business Machines Corporation in the United States, other countries, or both. The Ricoh and IBM trademarks are used under license from their respective trademark owners.

InfoPrint Solutions Company is a tradename of InfoPrint Solutions Company, LLC, in the United States, other countries, or both. InfoPrint is a registered trademark of Ricoh Co., Ltd., in the United States, other countries, or both. InfoPrint is used under license from the trademark owner.

References in this publication to InfoPrint Solutions Company products or services do not imply that InfoPrint Solutions Company intends to make them available in all countries in which InfoPrint Solutions Company operates. Any purchase of such products or services will be exclusively governed by the terms of the sales or license agreement applicable to such purchase to the maximum extent allowed by law.

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both: InfoPrint, IPDS

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both: IBM, AIX.

PostScript and PostScript3 are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Vista and Windows NT are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

The information in this data sheet is subject to change without notice. 10/08