

Description

IBM Infoprint 1570 MFP is an all-in-one multifunction printer (MFP) that provides print, copy, scan, and fax functions. It comes in several models including with and without a hard drive and modem. Models without a hard drive or a modem cannot be upgraded to include one. The models are summarized in the following table:

Models	Standard memory	Maximum memory	Ethernet	USB Port	Processor	Hard drive	Modem
001	256 MB	768 MB	Standard	Standard	533 MHz	No	No
011, 012	256 MB	768 MB	Standard	Standard	533 MHz	No	Yes
d01	256 MB	768 MB	Standard	Standard	533 MHz	Yes	No
d11, d12	256 MB	768 MB	Standard	Standard	533 MHz	Yes	Yes

Key functions supported on hard drive models only:

- More availability for concurrent jobs
- Collation of larger document jobs
- Larger number of fax pages can be spooled (both sending and receiving)
- Job building
- Scan preview
- Print spooling (job buffering)
- Copy spooling
- E-mail spooling/queuing
- Fonts and Macro storage
- MFP Lockout
- Booklet creation in copy mode

The hard drive capacity is greater than 20 GB.

Models beginning with “d” are duplex tray models and come with duplex and two 500-sheet drawers as standard. All other models come with one 500-sheet drawer and no duplex as standard. Up to four optional drawers are supported for a total input capacity of 4,100 sheets. Output capacity for all models is 500 sheets.

Memory

All models have one slot for additional SDRAM memory. Memory options include 128 MB, 256 MB, and 512 MB with a total of 768 MB maximum memory. All models have two slots for flash memory and application solution features. One 32 MB or 64 MB flash memory option is supported.

Network connections

Fast Ethernet is standard on all models. Optional Gigabit Ethernet is also available. Optional wireless Ethernet is supported through the wired Ethernet port or through the USB port.

Usage rates

The maximum monthly usage for printing is 225,000 impressions. IBM does not recommend printing to these monthly maximums on a consistent basis.

Print quality

The resolution of the Infoprint 1570 is:

- 1200 x 1200 dpi (at reduced speed)
- 2400 Image Quality
- 1200 Image Quality
- 600 x 600 dpi

The Toner Darkness setting offers 10 user-selectable settings to balance print darkness and toner savings. The higher the setting, the darker the print. Within the range of print darkness settings, up to 50% toner savings can be realized from the factory default setting of 8.

Font support

The Infoprint 1570 MFP resident fonts include support for following:

Emulation	Number of scalable fonts	Number of bitmapped fonts
PCL 6	89	2
PostScript 3	158	0
PPDS	39	5

Operator panel

The Infoprint 1570 MFP operator panel has:

- Touch-sensitive GUI plus 17 “hard” buttons and one LED
- Color LCD (TFT) with backlight
- 8.0-inch display
- Adjustable viewing angle

MFP

Scanner

Scanner Type	Color/Mono Flatbed Scanner with ADF
Scan Technology	Charge Coupled Device (CCD)
Light Source	Cold Cathode Fluorescent Lamp (CCFL)
Number of Light Sources	2
Max Optical Resolution — Flatbed	600 x 600 dpi (Mono) 600 x 600 dpi (Color), with final resolution of 300 x 300 dpi
Scan Area — Flatbed	Max. 8.5 in x 14 in (216 mm x 355.6 mm)

Scanner ADF

ADF Type	Single Pass Duplex ADF with C-Path
Optical Resolution ADF (Mono)	Max. 600 x 600 dpi
Optical Resolution ADF (Color)	Max. 600 x 300 dpi (final resolution 300 x 300 dpi)
Document Capacity	50 Sheets 20 lb (75 g/m ²) Bond
Media Depth (Thickness)	Max. .15 mm Min. .05 mm
Media Weight	Max. 32 lb (120 g/m ²) Min. 15 lb (56 g/m ²)
Scan Area — ADF	Max. 8.5 x 14.0 (216 mm x 355 mm) Min. 4.5 x 5.5 (114.3 mm x 139.7 mm)

Paper Feed Orientation

Printer

Print Technology	Hot Roll Fuser
Print Feed Orientation	Short Edge Feed

Fax

Modem	Built-in Group 3 compatible, Full Function Fax 33,600 bps, Max V.34 Half Duplex
-------	--

Telecommunications approval

This product may connect to a Public Telecommunications Network, as such by country regulations and laws this product may require Telecommunications Approval through country Telecommunications Authority prior to sale.

Features

The Infoprint 1570 MFP supports the following features:

Part number	Description
39V0213	250-Sheet Drawer
39V0214	500-Sheet Drawer
39V0317	500-Sheet Tray
39V0217	500-Sheet Duplex Unit
39V0215	2,000-Sheet Drawer (Letter)
39V0219	Envelope Feeder
75P6986	128 MB Memory DIMM
75P6987	256 MB Memory DIMM
75P6988	512 MB Memory DIMM
75P6989	32 MB Flash Memory
75P6990	64 MB Flash Memory
39V0796	Card for IPDS and SCS/TNe
39V0797	Bar Code Card
39V0326	RS-232C Serial Interface Card
39V0327	Parallel 1284-B Interface Card
75P6992	Ethernet 1000BaseTX
39V1524	Ethernet 10/100BaseTX (1 USB port)
39V1525	Ethernet 1000BaseTX (4 USB port)

Part number

Description

39V1526	Ethernet 10/100BaseTX (1 parallel port)
75P6857	802.11g Wireless to Ethernet
75P6854	802.11g Wireless to USB
75P7029	10 ft. Parallel Cable
75P7030	2-meter USB Cable
53P7950	Printer Stand with Cabinet
53P7951	Printer Stand
53P7952	Low Profile Printer Stand
39V1291	Caster Base
39V1292	Large Spacer

Accessibility by people with disabilities

The following features support use by people with disabilities:

- Controls and latches are operable with one hand and minimal dexterity.
- Keys are discernible by touch without activating them.
- The display, controls, latches, and levers are accessible to someone in a wheel chair.
- Color is used as an enhancement for conveying information, and as an additional method of distinguishing between buttons, controls, and latches.

Business Partner information

If you are a Direct Reseller - System Reseller acquiring products from IBM, you may link directly to Business

Partner information for this announcement. A PartnerWorld ID and password are required (use IBM ID).

BP Attachment for Announcement Letter 106-160


<https://www.ibm.com/partnerworld/mem/sla.jsp?num=106-160>

Trademarks

IPDS is a trademark of International Business Machines Corporation in the United States or other countries or both.

Infoprint is a registered trademark of International Business Machines Corporation in the United States or other countries or both.

Other company, product, and service names may be trademarks or service marks of others.



IBM United States Announcement Supplemental Information

February 14, 2006

Publications

All hardcopy publications are downloadable from the IBM Web site

<http://www.printers.ibm.com>

The following publications are shipped with the products:

- Infoprint® 1570 MFP Setup Sheet (wordless)
- IBM Quick Reference Card

Operator Panel

This will be available in the following languages: English, Danish, Dutch, Finnish, French, German, Italian, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Spanish, Swedish

User's Guide

This will be available in the following languages: English, Danish, Dutch, Finnish, French, German, Italian, Norwegian, Polish, Brazilian Portuguese, Russian, Spanish, Swedish, Simplified Chinese, Traditional Chinese

Driver and Utilities CD

These will be available in the following languages: English, French, German, Italian, Polish, Brazilian Portuguese, Russian, Spanish, Simplified Chinese, Traditional Chinese, Korean

Services

IBM Integrated Technology Services

IBM services include business consulting, outsourcing, hosting services, applications, and other technology management.

These services help you learn about, plan, install, manage, or optimize your IT infrastructure to be an On Demand Business. They can help you integrate your high-speed networks, storage systems, application servers, wireless protocols, and an array of platforms, middleware, and communications software for IBM and many non-IBM offerings. IBM is your one-stop shop for IT support needs.

For details on available services, contact your IBM representative or visit

<http://www.ibm.com/services/>

For details on available IBM Business Continuity and Recovery Services, contact your IBM representative or visit

<http://www.ibm.com/services/continuity>

For details on education offerings related to specific products, visit

<http://www.ibm.com/services/learning/index.html>

Select your country, and then select the product as the category.

Technical information

Specified operating environment

Physical specifications

Dimensions

	Width	Depth	Height	Weight ³
Models beginning with 0 or x (no options)	560.0 mm (22.0 in)	645.0 mm (25.4 in)	710.0 mm (28.0 in)	37.65 kg (83.0 lb)
Models beginning with d (no options)	560.0 mm (22.0 in)	660.0 mm (26.0 in)	890.0 mm (35.0 in)	46.6 kg (102.8 lb)

³ Weights for low-voltage and high-voltage models are the same.

This announcement is provided for your information only. For additional information, contact your IBM representative, call 800-IBM-4YOU, or visit the IBM home page at: <http://www.ibm.com>.

Recommended clearances

	Left	Right	Front	Rear	Top
All models	304.8 mm (12.0 in)	203.2 mm (8.0 in)	508.0 mm (20.0 in)	203.2 mm (8.0 in)	304.8 mm (12.0 in)

Operating environment

- Operating environment
 - Temperature: 16.0° to 32.0°C (60° to 90°F)
 - Relative humidity: 8 to 80%
 - Altitude: 0 to 3,048 meters (10,000 ft)
- Storage and shipping environment (packed)
 - Temperature: -40.0° to 43.3°C (-40° to 110°F)
 - Relative humidity: 5 to 95%
 - Altitude: 0.25 atmospheric pressure (equivalent to 10,300 m, 34,000 ft)

Electrical specifications

Low-voltage models

- 100 — 127 V ac at 50 to 60 Hz, nominal
- 90 — 137 V ac, extreme

High-voltage models

- 220 — 240 V ac at 50 to 60 Hz, nominal
- 198 — 259 V ac, extreme

Average power consumption

Printing states	Models beginning with 0	Models beginning with d
Off	0 W	0 W
Standby Mode	150 W	150 W
Power Saver Mode	30 W	32 W
Continuous Copying	650 W	650 W
Continuous Printing	800 W	800 W
Maximum current while printing		
120 Volts	10.5 A	10.5 A
230 Volts	5.4 A	5.4 A

Notes:

- Using a 220 V ac to 110 V ac power converter with the low-voltage model is not recommended.
- All models are ENERGY STAR compliant.

Acoustics: All measurements were made in accordance with ISO 7779 and reported in conformance with ISO 9296.

All models

Mode	Bystander Position Average (LpAm)	Standing Operator Position (LpAm)	Sound Power Bels
Printing	56	NA	7.0
Copying	57	62	7.2
Scanning	52	59	6.8
Ready	30	NA	4.5

NA = Not applicable

Planning information

Customer responsibilities: Infoprint 1570 MFP is designed as a Customer Setup Unit (CSU). The customer is responsible for:

- Adequate site, system, and other vendor preparation
- Receipt at the customer location and placement of the printer
- Installation and configuration of the printer and features by following the installation instructions, including:
 - Installing and maintaining cables
 - Loading print media and clearing jams
 - Performing low-level problem determination
 - Ordering and installing supplies and consumables
- Working with IBM Technical Support to complete low-level problem determination including:
 - Downloading and installing microcode updates as directed by the IBM Technical Support Center
 - Replacing defective features that were installed as part of the customer setup process

It is the customer's responsibility to order and maintain an adequate inventory of toner cartridges and maintenance supplies.

Cable orders: Attachment cables are not provided with the printer and must be provided or purchased by the customer. They are the responsibility of the customer and are not covered by product warranty or post-warranty services.

The Parallel printer cable features are recommended when attaching the printer to a Parallel port.

The Universal Serial Bus (USB) cable feature is recommended when attaching the printer to a USB port.

Packaging: Contents may vary by country.

Product	Description	Number of boxes
50 ppm MFP (Model 001)	Low-volt printer/MFP with 256 MB memory, 10/100BaseTX, 10K print cartridge, Software and Documentation CD, Hard Copy Setup Sheet, Safety Information sheet, Safety Stability Sheet, Warranty Book (country dependent), Paper Output Bin Paper Bail, ADF Label, power cord	1
50 ppm MFP (Model 011)	Low-volt printer/MFP with 256 MB memory, 10/100BaseTX, Modem, 10K print cartridge, Software and Documentation CD, Hard Copy Setup Sheet, Safety Information sheet, Safety Stability Sheet, Warranty Book (country dependent), Paper Output Bin Paper Bail, ADF Label, power cord, RJ45 cable and adapter (country dependent)	1
50 ppm MFP (Model d01)	Low-volt printer/MFP with 256 MB memory, 10/100BaseTX, Hard Drive, Duplex, additional 500-Sheet Drawer, 21K print cartridge, cartridge, Software and Documentation CD, Hard Copy Setup Sheet, Safety Information sheet, Safety Stability Sheet, Warranty Book (country dependent), Paper Output Bin Paper Bail, ADF Label, power cord, RJ11 cable and adapter (country dependent)	1
50 ppm MFP (Model d11)	Low-volt printer/MFP with 256 MB memory, 10/100BaseTX, Modem, Hard Drive, Duplex, additional 500-Sheet Drawer, 21K print cartridge, Software and Documentation CD, Hard Copy Setup Sheet, Safety Information sheet, Safety Stability Sheet, Warranty Book (country dependent), Paper Output Bin Paper Bail, ADF Label, power cord, RJ11 cable and adapter (country dependent)	1
50 ppm MFP (Model 012)	High-volt printer/MFP with 256 MB memory, 10/100BaseTX, Modem, 10K print cartridge, Software and Documentation CD, Hard Copy Setup Sheet, Safety Information sheet, Safety Stability Sheet, Warranty Book (country dependent), Paper Output Bin Paper Bail, ADF Label, power cord, RJ45 cable and adapter (country dependent)	1
50 ppm MFP (Model d12)	High-volt printer/MFP with 256 MB memory, 10/100BaseTX, Modem, Hard Drive, Duplex, additional 500-Sheet Drawer, 21K print cartridge, Software and Documentation CD, Hard Copy Setup Sheet, Safety Information sheet, Safety Stability Sheet, Warranty Book (country dependent), Paper Output Bin Paper Bail, ADF Label, power cord, RJ11 cable and adapter (country dependent)	1

Supplies: No supplies are required with the machine order. Infoprint 1570 MFP models that begin with 0 or x are shipped with a 10,000-impressions⁴ print cartridge. Infoprint 1570 MFP models that begin with d (duplex tray models) are shipped with a 21,000-impressions⁴ print cartridge. It is the customer's responsibility to order and maintain an adequate inventory of toner cartridges and maintenance supplies.

Consumables

The following replacement supplies are available for Infoprint 1570 MFP:

Description	Models	Part number	Approximate average yield ⁴
10K Toner Cartridge	All	39V0541	10,000 impressions
10K Use and Return Toner Cartridge	All	39V0542	10,000 impressions
21K Toner Cartridge	All	39V0543	21,000 impressions
21K Use and Return Toner Cartridge	All	39V0544	21,000 impressions
32K Toner Cartridge	All	39V0545	32,000 impressions
32K Use and Return Toner Cartridge	All	39V0546	32,000 impressions

⁴ Approximate yield has been established with an average coverage of 5%. An "impression" is defined as one printed side of a sheet. A duplex sheet would consist of two impressions.

Declared yield value in accordance with ISO/IEC 19752.

The approximate average yields are not a warranty or guarantee of minimum life, and are provided to assist in initial supplies planning. Actual usage should be used to establish the supply's life in the end user's application. Many factors (for example, print coverage per page, machine settings, paper type and size, and environmental conditions) can affect supply life.

Maintenance supplies

The following maintenance supplies are available for Infoprint 1570 MFP:

Description	Models	Part number	Approximate average yield
Separator Roll Assembly	All	40X0454	120,000 impressions or when paper fails to feed properly from ADF
Pick Up Assembly	All	40X0453	120,000 impressions or when paper double-feeds through the ADF
Cushion, White Pressure Pad	All	40X0466	Life of product ⁵
Charge Roll Assembly	All	40X0127	300,000 impressions
Transfer Roll	All	40X0130	300,000 impressions
Maintenance Kit (110V) ⁶	All	40X0100	300,000 impressions
Maintenance Kit (220V) ⁶	All	40X0101	300,000 impressions
Fuser (110V)	All	40X0116	300,000 impressions
Fuser (220V)	All	40X0117	300,000 impressions

⁵ This CRU is available in case the pad becomes damaged or excessively dirty and can't be cleaned.

⁶ Includes fuser unit, transfer roll, charge roll, and pick roll.

The above items are considered supplies and, as such, are not available from IBM service or included in the warranty or maintenance service agreement.

The fuser assembly contained within the maintenance kit is not customer installable. Installation support is provided with an IBM maintenance contract. If you do not have an IBM maintenance contract, installation services for this kit are available at IBM's current billable service rate for this product, with a one-hour minimum. The maintenance kit must be purchased separately by the customer before contacting IBM for installation.

Supply warranties are only for defects in materials and workmanship at the time of shipment and installation. They are not for print count life or normal wear and tear, nor for any print count minimum. Contact your place of purchase for warranty return instructions.

IBM is committed to environmentally conscious programs for printer supplies. A collection program for used printer cartridges has been established and return instructions are included in the supply item packaging, with free return shipping.

IBM Printing Supplies are distributed by Priority Fulfillment Services (PFS) and a worldwide network of resellers. End users can contact PFS at 888-IBM-PRINT (426-7746) for the name of an IBM reseller in their area where IBM printing supplies can be purchased.

Resellers can mail orders for IBM printing supplies to PFS at the following address:

Priority Fulfillment Services
500 North Central Expressway
Plano, TX 75074
Telephone: 888-IBM-PRINT (426-7746)
Fax: 972-881-9201

To contact PFS, call (United States) 972-881-0733 ext. 3234.

End users can contact IBM for the name of an IBM reseller in their area where IBM printing supplies can be purchased. Resellers can order IBM printing supplies through IBM in Asia Pacific.

To call IBM, contact one of the following numbers:

Australia 132 426
Bangladesh 65-320 1631
Brunei 65-320 1631
Cambodia 65-320 1631
China 86-10-65391188-3009
Hong Kong 852-2825-7878
India 91-80-22063000
Indonesia 62-21-523-8153
Korea 82-2-3284-5090
Laos 65-320 1631
Malaysia 60-3-7720-2517
Myanmar 65-320 1631
New Zealand 0800 810800
Philippines 63-2-819-2307
Singapore 65-320 1631
Sri Lanka 65-320 1631
Taiwan 886-2-27258888-9517
Thailand 66-2-273-4538
Vietnam 65-320 1631

Security, auditability, and control

This product uses the security and auditability features of the host hardware, host software, and application software.

The customer is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communications facilities.

Terms and conditions

Volume orders: Contact your IBM representative.

IBM Global Financing: No

Warranty and maintenance

Warranty period

- Base printer — 12 months
- Optional features — 12 months

Warranty service upgrades: IOR 24 x 7, same-day response

Post-warranty service

- IOR 9 x 5, Monday through Friday, excluding holidays, next-business-day response
- IOR 24 x 7, same-day response

ServicePacs for warranty and maintenance options: Refer to the **Prices** section for ServicePac® offerings.

Maintenance processing: Low end

Maintenance billing: Quarterly

Warranty service

- Technical support during warranty period
- IBM On-site Repair (IOR) 9 x 5, Monday through Friday, excluding holidays, next-business-day response

If required, IBM provides repair or exchange service depending on the types of warranty service specified for the machine. IBM will attempt to resolve your problem over the telephone, or electronically via an IBM Web site. You must follow the problem determination and resolution procedures that IBM specifies. Scheduling of service will

depend upon the time of your call and is subject to parts availability. If applicable to your product, parts considered Customer Replaceable Units (CRUs) will be provided as part of the machine's standard warranty service.

Service levels are response-time objectives and are not guaranteed. The specified level of warranty service may not be available in all worldwide locations. Additional charges may apply outside IBM's normal service area. Contact your local IBM representative or your reseller for country- and location-specific information. This product is covered by the following types of service.

CRU service and on-site for other selected parts.

CRU service: IBM provides replacement CRUs to you for you to install. CRU information and replacement instructions are shipped with your machine and are available from IBM upon your request. CRUs are designated as being either a Tier 1 or a Tier 2 CRU.

Tier 1 CRU: Installation of Tier 1 CRUs is your responsibility. If IBM installs a Tier 1 CRU at your request, you will be charged for the installation.

Tier 2 CRU: You may install a Tier 2 CRU yourself or request IBM to install it, at no additional charge.

Based upon availability, CRUs will be shipped for next-business-day delivery. IBM specifies, in the materials shipped with a replacement CRU, whether a defective CRU must be returned to IBM. When return is required, (1) return instructions and a container is shipped with the replacement CRU and (2) you may be charged for the replacement CRU if IBM does not receive the defective CRU within 30 days of your receipt of the replacement.

The following parts have been designated as Tier 1 CRU parts:

- All output devices
- Memory cards
- Optional firmware cards
- Option cards
- Wireless adapters
- All external adapters
- Op panel overlay
- USB, serial and parallel cables, telephone fax line, scanner cable
- All power cords
- Hard drives
- All input devices
- Base cabinet/stand
- Stacker arm
- Scanner op panel
- Scanner op panel cover
- Scanner power supply
- Scanner control unit

Usage plan machine: No

IBM hourly service rate classification: Two

When a type of service involves the exchange of a

machine part, the replacement may not be new, but will be in good working order.

Field-installable features: Yes

Model conversions: No

Machine installation: Customer setup — Customers are responsible for installation according to the instructions IBM provides with the machine.

Graduated Program License Charges apply: No. This product does not contain Licensed Internal Code or Licensed Machine Code.

Educational allowance: Educational allowance does not apply.

Prices

Product charges

All features are both plant and field installable.

Mach type	Model	Feature number	Part number	Description	List price
4542	001		39V0668	Infoprint 1570 MFP NA (LV)	\$3,259
4542	011		39V0669	Infoprint 1570 MFP NA (LV)	3,259
4542	d01		39V1421	Infoprint 1570 MFP NA (LV)	4,481
4542	d11		39V1422	Infoprint 1570 MFP NA (LV)	4,481
		4505	39V0213	250-Sheet Drawer	239
		4506	39V0214	500-Sheet Drawer	292
		4502	39V0317	500-Sheet Tray	108
		4520	39V0215	2,000-Sheet Drawer (Letter)	932
		4401	39V0217	500-Sheet Duplex Unit	332
		4511	39V0219	Envelope Feeder	292
		4390	75P6986	128 MB Memory DIMM	927
		4391	75P6987	256 MB Memory DIMM	1,327
		4392	75P6988	512 MB Memory DIMM	1,599
		4038	75P6989	32 MB Flash Memory	231
		4040	75P6990	64 MB Flash Memory	439
		4820	39V0796	Card for IPDS™ and SCS/TNe	599
		4870	39V0797	Bar Code Card	383
		4138	39V0326	Serial Interface Card	92
		4139	39V0327	Parallel 1284-B Interface Card	92
		4166	75P6992	Ethernet 1000BaseTX	532
		4163	39V1524	Ethernet 10/100BaseTX (1 USB port)	265
		4164	39V1525	Ethernet 1000BaseTX (4 USB ports)	372
		4165	39V1526	Ethernet 10/100BaseTX (1 parallel pt)	265
		4193	75P6857	802.11g Wireless to Ethernet	265
		4190	75P6854	802.11g Wireless to USB	159
		4180	75P7029	10 ft. Parallel Cable	27
		4184	75P7030	2-meter USB Cable	20
		4530	39V1291	Caster Base	265
		4531	39V1292	Large Spacer	212
		4533	53P7950	Printer Stand with Cabinet	399
		4534	53P7951	Printer Stand	372
		4535	53P7952	Low Profile Printer Stand	393

ServicePacs

Machine type	Model	Description	Electronic part number	List price
4542	All	SVCAPAC PTR 2YR IOR 9X5/ND	10N3746	\$ 686
4542	All	SVCAPAC PTR 3YR IOR 9X5/ND	10N3747	1,295
4542	All	SVCAPAC PTR 1YR IOR 24X7/SD	10N3748	708
4542	All	SVCAPAC PTR 2YR IOR 24X7/SD	10N3749	2,058
4542	All	SVCAPAC PTR 3YR IOR 24X7/SD	10N3750	3,237
4542	All	SPACMA PTR 1YR IOR 9X5/ND	10N3751	708
4542	All	SPACMA PTR 1YR IOR 24X7/SD	10N3752	1,417
4542	All	SPACMA PTR 2YR IOR 9X5/ND	10N3753	1,372
4542	All	SPACMA PTR 2YR IOR 24X7/SD	10N3754	2,744

Alternative service charges

Low-end alt. service charges

Description	Machine type	From service	To service	Price
Infoprint 1570 MFP	4542	IOR 9 X 5	IOR 24 X 7	\$687

Annual minimum maintenance charges

Low-end annual minimum maintenance charges

Description	Machine type	Service offering	Price
Infoprint 1570 MFP	4542	IOR 9 X 5	\$ 687
Infoprint 1570 MFP	4542	IOR 24 X 7	1,374

Trademarks

IPDS is a trademark of International Business Machines Corporation in the United States or other countries or both.
Infoprint and ServicePac are registered trademarks of International Business Machines Corporation in the United States or other countries or both.
Other company, product, and service names may be trademarks or service marks of others.