

9045N Monochrome Laser

Unmatched Fusion of Performance and Productivity.



Excellent Speed, Robust Duty Cycle.

The 9045 prints at speeds up to 45 pages per minute with a first page out time of less than 8 seconds. In addition to the rapid printing speeds, the 9045 is capable of handling duty cycles of up to 200,000 pages per month. This kind of performance allows the 9045 to be relied upon in even the most demanding printing environments.

Productivity Enhancing Controller Architecture.

The 9045 incorporates the Intelliprint controller architecture – a proprietary printing control technology developed by TallyGenicom to provide users with an unmatched fusion of performance and productivity enhancement. Features such as password-protected printing, saved job library and job accounting set the 9045 apart from the competition. In addition to the productivity enhancements offered by the Intelliprint controller architecture, the 9045 also boasts a class-leading 533 MHz processor, Adobe PostScript 3 and PCL6, PCL5c and PCL5e functionality.

- Less than 8 seconds first page output time
- 1200 x 1200 dpi at up to 45 ppm
- Powerful 533 MHz RISC processor
- Intellifilter for compatibility with legacy print data streams
- Intelliprint controller
- Adobe PostScript 3, PCL6, PCL5e
- Optional duplex printing
- Duty cycle of 200,000 images per month
- One year on-site warranty

Available Configuration:

Features & Specifications

Print Speed	45 ppm
Print Method	Electro-photographic semiconductor laser with Intelliprint Controller
Processor	MIPS R7035 533 MHz
Resolution	600 x 600 dpi and 1200 x 1200 dpi
Time To 1st Page	Less than 8 Seconds
Memory	128MB expandable to 640MB; Optional 40GB hard drive
Standard Connectivity	10/100Base-T Ethernet; TCP/IP, EtherTalk, Bonjour; EEE 1284 parallel; Hi-Speed USB 2.0 480 Mb/s auto interface switching; RS232
Standard Emulation	PostScript 3; PCL6, PCL, PCL5c, PCL5e
Print Monitor	SNMP, Printer MIB, e-mail status, and Web-based status and control, TGenAdmin
Fonts	136 Adobe PostScript fonts; 86 Type 1 PCL
Consumables	Starter/Low Yield Cartridge: 11,000 pages; High Yield: 18,000 pages (at 5% coverage for both)
STD Paper Handling	550-sheet tray; 150-sheet tray
Opt'l Paper Handling	550-sheet feeder tray (up to 2 additional)
Duplexing	Optional
Paper Type	Sheet paper, transparencies, bond, labels, envelopes, and thick media
Paper Weight	16 to 58 lbs (60 to 216 g/m ²) in simplex and duplex modes
Paper Size	Letter, executive, legal, folio, A4, A5, A6, B5, statement; Envelopes: Com10, Monarch, DL, C5; Custom sizes: 3.88 to 8.50 W by 5.83 to 14.00 L (tray 1 and 2 only); Officio (8.5" x 13.38" - supported as a custom size in tray #1 or #2)
Paper Output	500-sheet face-down top output; Optional cassette: 500-sheet offset catch tray
Physical Weight	45 lbs. (20.6 kg)
PhysicalSize	15.9" x 16.6" x 18.3" (404 x 422 x 465 mm)
Power Voltage	110-127 VAC, 50/60 Hz; Current: 11 amps
Power Consumption	For 120V UL60950-1; CSA C22.2 No. 60950-1-03; FDA 21 CFR Chapter 1, Subchapter J, Section 1010, 1040 Laser Safety, NOM, FCC Part 15 Class B; For 220V: IEC 60950-1 and 60825-1 Class 1
Workload	Up to 200,000 pages per month
Forms Software	Intellifilter; Optional: Intellipress
Drivers	Vista, XP, 98, 2000, NT 4.0; Adobe PostScript 3™ and PCL drivers included; Unix and Linux compatibility; Mac OSX
Temperature	Operating: 41° F - 95° F (5° to 35° C)
Humidity	Operating: 15%-85% Non-Condensing
Acoustic	Printing - 56.1 dB(A); Standby - 28 dB(A)
Warranty	One year on-site
Option 1	Add-on tray - 550 sheet feeder; duplexer; offset catch tray
Option 2	256MB, 512MB DIMM
Option 3	Hard disk
Note	Exceeding the monthly duty cycle will not void the warranty if TallyGenicom consumables and maintenance kits are used. Toner saver mode provides up to 40% savings.



Tally and TallyGenicom are registered trademarks of TallyGenicom, L.P. All other company and product names are trademarks or registered trademarks of their respective owner. Specifications are subject to change without notice.

Printed Date: 06/13/2007 Copyright © 2006 TallyGenicom, L.P.

4500 Daly Drive, Suite 100
Chantilly, VA 20151
T 800.436.4266
www.tallygenicom.com

